

## STATE OF MISSOURI GEOLOGICAL SURVEY PROGRAM

RECEFORM OGC-3E

AL LIOATI	ON TO DRILL	☐ DEEPE	N 🗌 PLUC	BACK V	FOR AN OIL W			GAS WELL		
NAME OF COMPANY	OR OPERATOR					DATE	o Oil	0 0000		
Kansas Resource	ce Exploration	and Development,	LLC			06/16/2	013	& Gas C		
ADDRESS				CITY		STATE KS	ZIP	CODE		
9393 West 110t				Overland Park			662	210		
DESCRIPTION NAME OF LEASE	OF WELL AN	D LEASE				T = . = = .				
Belton Unit				WELL NUMBER KR-2V			ELEVATION (GROUND) 1089'			
WELL LOCATION	Lork-Mille	CO:   Pool Ex	emption	FROM SECTION LINES		1009				
VVLLE EGO/MIGIV	174	t. from 🗸 North 🗌		978	ft. from 🔽 East	□ \Mest s	section lin	10		
WELL LOCATION		t. Holli 🚱 Holli 🗀			ONGITUDE	COUNTY	occion iii			
Sec. 16 Town	nship 46 North	Range_33	East West N	38 48' 58.79"	W94 34' 12.14"	Cass	03	7		
		SED LOCATION TO PR		LINE 978	FEET					
		TION TO NEAREST DI				ME LEASE	220	FEET		
PROPOSED DEPTH		IG CONTRACTOR, NAME			ROTARY OR CABLE			ATE WORK WILL STAR		
700' 38'	ا Utah	Oil, LLC	Rotary			0		07/01/2013		
NUMBER OF ACRES I	N LEASE NUMB	ER OF WELLS ON LEA	ASE INCLUDING THIS	WELL, COMPLETED	IN OR DRILLING T	O THIS RE	SERVOIR	207		
560		ER OF ABANDONED V								
IF LEASE PURCHA	SED WITH ONE O	R MORE WELLS DRIL	LED, FROM WHOM P	URCHASED?	N	O. OF WEL	LS PRO	ducing 70		
NAME DE Explo	oration							IECTION 136		
ADDRESS 4595	Highway K33,	Wellsville, KS 660	6092				INACTIVE 0 ABANDONED 0			
					T DON'D		T			
STATUS (	OF BOND	SINGLE WELL AMOUNT \$		☑ BLANKI	IT \$ 280,000		☑ ON	TACHED		
REMARKS: (IF THIS I: INJECTION ZONE; US	E BACK OF FORM IF	O DEEPEN OR PLUG BA( NEEDED)	CK, BRIEFLY DESCRIBE	WORK TO BE DONE, GIV	/ING PRESENT PRODU			E AND EXPECTED NEW		
INJECTION ZONE; US	PROPOSED C	O DEEPEN OR PLUG BAC NEEDED)	1	WORK TO BE DONE, GIV	O CASING - TO BE	FILLED IN	BY STATE	E GEOLOGIST		
INJECTION ZONE; US	PROPOSED C	O DEEPEN OR PLUG BAC NEEDED)  ASING PROGRAM  WT/FT	CEMENT	APPROVED  AMOUNT	O CASING - TO BE SIZE	FILLED IN	<b>BY STATE</b> /T/FT	E AND EXPECTED NEW		
AMOUNT 40'	PROPOSED OF SIZE	O DEEPEN OR PLUG BAC NEEDED)  CASING PROGRAM  WT/FT  36#	CEMENT 15 sks	APPROVED  AMOUNT	CASING - TO BE	FILLED IN	BY STATE	E GEOLOGIST		
INJECTION ZONE; US	PROPOSED C	O DEEPEN OR PLUG BAC NEEDED)  ASING PROGRAM  WT/FT	CEMENT	APPROVED  AMOUNT	O CASING - TO BE SIZE	FILLED IN	BY STATE	E GEOLOGIST		
AMOUNT 40'	PROPOSED OF SIZE 11 3/4" 8 5/8"	O DEEPEN OR PLUG BAC NEEDED)  CASING PROGRAM  WT/FT  36#  28#	CEMENT 15 sks sks	APPROVED AMOUNT SOLUTION SOLUTION AMOUNT SOLUTION SOLUTION AMOUNT SOLUTION AMO	CASING - TO BE SIZE	FILLED IN	BY STATE	E GEOLOGIST		
AMOUNT 40' 700'	PROPOSED 0 SIZE 11 3/4" 8 5/8"	O DEEPEN OR PLUG BAC NEEDED)  CASING PROGRAM  WT/FT  36#  28#	CEMENT 15 sks sks	APPROVED AMOUNT 40' 700'	O CASING - TO BE SIZE    1 %   /	FILLED IN W	BY STATE OTHER	E GEOLOGIST  CEMENT  Full Length		
AMOUNT 40' 700'	PROPOSED C SIZE 11 3/4" 8 5/8"  ned, state that I that this report	O DEEPEN OR PLUG BACK NEEDED)  CASING PROGRAM  WT/FT  36#  28#  hief Operating Office am the	CEMENT 15 sks sks sks  er Kansas Res	APPROVED  AMOUNT  40'  700'  Durce Exploration a  (Company), ar	O CASING - TO BE SIZE IL %  And Development, Lind that I am auth	FILLED IN W	BY STATE  OTIFT  36  26	E GEOLOGIST  CEMENT  Full Length  company to make		
AMOUNT 40' 700'  I, the Undersign this report, and	PROPOSED C SIZE 11 3/4" 8 5/8"  ned, state that I that this report	O DEEPEN OR PLUG BACK NEEDED)  CASING PROGRAM  WT/FT  36#  28#  hief Operating Office am the	CEMENT 15 sks sks sks  er Kansas Res	APPROVED  AMOUNT  40'  700'  Durce Exploration a  (Company), ar	O CASING - TO BE SIZE IL %  And Development, Lind that I am auth	FILLED IN W	BY STATE  OTIFT  36  26	E GEOLOGIST  CEMENT  Full Length  company to make		
AMOUNT 40' 700'  I, the Undersign this report, and and complete to	PROPOSED C SIZE 11 3/4" 8 5/8"  ned, state that I that this report	O DEEPEN OR PLUG BACK NEEDED)  CASING PROGRAM  WT/FT  36#  28#  hief Operating Office am the	CEMENT 15 sks sks sks  er Kansas Res	APPROVED  AMOUNT  40'  700'  Durce Exploration a  (Company), ar	O CASING - TO BE SIZE IL %  And Development, Lind that I am auth	FILLED IN  W  corrized by stated the	BY STATE TIFT 36 26 y said coerein are	E GEOLOGIST  CEMENT  Full Length  company to make		
AMOUNT 40' 700'  I, the Undersignthis report, and and complete to SIGNATURE	PROPOSED OF SIZE  11 3/4"  8 5/8"  ned, state that I that this report to the best of my	O DEEPEN OR PLUG BACK NEEDED)  CASING PROGRAM  WT/FT  36#  28#  hief Operating Office am the	CEMENT 15 sks sks  er Kansas Res of the der my supervision	APPROVED AMOUNT Survey Exploration a (Company), ar and direction an	O CASING - TO BE SIZE IL TATA  And Development, Lid that I am auth d that the facts	FILLED IN  We have a construction of the const	BY STATE  T/FT  36  26  y said coerein are	E GEOLOGIST  CEMENT  Full Legy  Dempany to make true, correct,		
AMOUNT 40' 700'  I, the Undersignthis report, and and complete to SIGNATURE PERMIT NUMBER	PROPOSED C SIZE 11 3/4" 8 5/8"  ned, state that I that this report	O DEEPEN OR PLUG BACK NEEDED)  CASING PROGRAM  WT/FT  36#  28#  hief Operating Office am the	CEMENT 15 sks sks  Ser Kansas Res of the Change of the Cha	APPROVED  AMOUNT  40'  700'  Durce Exploration and (Company), ard and direction and REQUIRED	OCASING - TO BE SIZE IL WY And Development, Lind that I am auth d that the facts	FILLED IN  We describe the state of the stat	BY STATE  T/FT  36  26  y said coerein are  013	E GEOLOGIST  CEMENT  Full Length  company to make etrue, correct,		
AMOUNT 40' 700'  I, the Undersignthis report, and and complete to SIGNATURE	PROPOSED OF SIZE  11 3/4"  8 5/8"  ned, state that I that this report to the best of my	O DEEPEN OR PLUG BACK NEEDED)  CASING PROGRAM  WT/FT  36#  28#  hief Operating Office am the	CEMENT  15 sks  sks  Sks  of the der my supervision  DRILLER'S LOG CORE ANALYSI	APPROVED  AMOUNT  40'  700'  Company), are and direction and and direction and REQUIRED SREQUIRED IF RUN	OCASING - TO BE SIZE IL WY And Development, Lind that I am auth d that the facts	FILLED IN  We describe the state of the stat	BY STATE  T/FT  36  26  y said coerein are  013	E GEOLOGIST  CEMENT  Full Legy  ompany to make et rue, correct,		
AMOUNT 40' 700'  I, the Undersignthis report, and and complete to SIGNATURE PERMIT NUMBER  APPROVED DATE	PROPOSED OF SIZE  11 3/4"  8 5/8"  ned, state that I that this report to the best of my	O DEEPEN OR PLUG BACK NEEDED)  CASING PROGRAM  WT/FT  36#  28#  hief Operating Office am the	CEMENT 15 sks sks  Ser Kansas Res of the Change of the Cha	APPROVED  AMOUNT  40'  700'  Company), are and direction and and direction and are application.	OCASING - TO BE SIZE IL WY And Development, Lind that I am auth d that the facts	FILLED IN  We describe the state of the stat	BY STATE  T/FT  36  26  y said coerein are  013	E GEOLOGIST  CEMENT  Full Length  company to make etrue, correct,		
AMOUNT 40' 700'  I, the Undersignthis report, and and complete to SIGNATURE PERMIT NUMBER	PROPOSED OF SIZE  11 3/4"  8 5/8"  ned, state that I that this report to the best of my	O DEEPEN OR PLUG BACK NEEDED)  CASING PROGRAM  WT/FT  36#  28#  hief Operating Office am the	CEMENT  15 sks  sks  Sks  of the  Of the  DRILLER'S LOG  CORE ANALYSI  SAMPLES REQU	APPROVED  AMOUNT  40'  700'  Pource Exploration a  (Company), ar  and direction and	OCASING - TO BE SIZE IL WY And Development, Lind that I am auth d that the facts	FILLED IN  We describe the state of the stat	BY STATE  T/FT  36  26  y said coerein are  013	E GEOLOGIST  CEMENT  Full Length  company to make etrue, correct,		
AMOUNT 40' 700'  I, the Undersignthis report, and and complete to SIGNATURE  PERMIT NUMBER  APPROVED DATE	PROPOSED OF SIZE  11 3/4"  8 5/8"  ned, state that I that this report to the best of my	D DEEPEN OR PLUG BACK NEEDED)  ASING PROGRAM  WT/FT  36#  28#  hief Operating Office am the was prepared uncoming the was	CEMENT  15 sks sks  Ser Kansas Res of the Core Manaysi Core Analysi Samples Required Samples Not Water Sample	APPROVED  AMOUNT  YO'  Too'  Company), are and direction and direction and direction and direction are as a sequired by the sequired and direction are as a sequired and direction are as a sequired a	CASING - TO BE SIZE IL W  and Development, Lid that I am auth d that the facts  E-LOG DRILL	porized by stated the DATE 06/16/2 S REQUIRE SYSTEM T	y said coerein are	E GEOLOGIST  CEMENT  Full Length  company to make true, correct,		
AMOUNT 40' 700'  I, the Undersignthis report, and and complete to SIGNATURE  PERMIT NUMBER  APPROVED DATE  APPROVED BY	PROPOSED OF SIZE  11 3/4"  8 5/8"  ned, state that I that this report to the best of my  7 - 3 - 1 3  THIS PERMIT	D DEEPEN OR PLUG BACK NEEDED)  ASING PROGRAM  WT/FT  36#  28#  hief Operating Office am the was prepared uncompleted with the properation of the p	CEMENT  15 sks  sks  Sks  of the der my supervision  CORE ANALYSI  SAMPLES REQUIRED SAMPLES NOT  WATER SAMPL  CABLE TO ANY O	APPROVED  AMOUNT  40'  700'  Dource Exploration a  (Company), ar  and direction and  REQUIRED  S REQUIRED IF RUN  JIRED  REQUIRED  ES REQUIRED AT  THER PERSON	CASING - TO BE SIZE IL MANY And Development, Lind that I am auth d that I am auth d that the facts  OR TO ANY OT	DATE 06/16/2 S REQUIRE SYSTEM TO	BY STATE  T/FT  36  Z 6  y said co erein are  013  ED IF RUN EST INFO	E GEOLOGIST  CEMENT  Full Length  company to make etrue, correct,  REQUIRED IF RUN		
AMOUNT 40' 700'  I, the Undersignthis report, and and complete to SIGNATURE  PERMIT NUMBER  APPROVED DATE  APPROVED BY  NOTE  APPROVAL OF THE	PROPOSED OF SIZE  11 3/4"  8 5/8"  ned, state that I that this report to the best of my  THIS PERMIT SPERMIT BY THE	D DEEPEN OR PLUG BACK NEEDED)  ASING PROGRAM  WT/FT  36#  28#  hief Operating Office am the was prepared uncoming the was	CEMENT  15 sks  sks  Sks  of the  der my supervision  CORE ANALYSI  SAMPLES REQUIRED SAMPLES NOT  WATER SAMPL  RABLE TO ANY O  CIL DOES NOT CONS	APPROVED  AMOUNT  40'  700'  Dource Exploration a  (Company), ar  and direction and  REQUIRED  S REQUIRED IF RUN  JIRED  REQUIRED  ES REQUIRED AT  THER PERSON	CASING - TO BE SIZE IL MANY And Development, Lind that I am auth d that I am auth d that the facts  OR TO ANY OT	DATE 06/16/2 S REQUIRE SYSTEM TO	BY STATE  T/FT  36  Z 6  y said co erein are  013  ED IF RUN EST INFO	E GEOLOGIST  CEMENT  Full Length  company to make etrue, correct,  REQUIRED IF RUN		
AMOUNT 40' 700'  I, the Undersignthis report, and and complete to SIGNATURE  PERMIT NUMBER  APPROVED DATE  APPROVED BY  NOTE  APPROVAL OF THI WELL NOR ENDOR	PROPOSED OF SIZE  11 3/4"  8 5/8"  ned, state that I that this report to the best of my  THIS PERMIT BY THE REMENT OF THE COME TH	D DEEPEN OR PLUG BACK NEEDED)  ASING PROGRAM  WT/FT  36#  28#  hief Operating Office am the was prepared uncompleted with the properties of the complete of th	CEMENT  15 sks  sks  Ser Kansas Res  of the Core Analysi  SAMPLES REQ  SAMPLES NOT  WATER SAMPL  ABLE TO ANY O  CIL DOES NOT CONS  THE PERMITTEE  that an approved	APPROVED  AMOUNT  YO'  TO BE DONE, GIVE  AMOUNT  YO'  AMOUNT  YO'  TO A COMPANY), are and direction	CASING - TO BE SIZE IL W  And Development, Lind that I am auth do that the facts  OR TO ANY OT ENT OF THE GEOLES been obtained	DATE 06/16/2 S REQUIRE SYSTEM TO OGIC MER	y said coerein are	E GEOLOGIST  CEMENT  Full Legil  Dempany to make a true, correct,  REQUIRED IF RUN  HE PROPOSED		
AMOUNT 40' 700'  I, the Undersignthis report, and and complete to SIGNATURE  PERMIT NUMBER  APPROVED DATE  APPROVED BY  NOTE  APPROVAL OF THE WELL NOR ENDOR I, B. Leech of the Council approval.	PROPOSED OF SIZE  11 3/4"  8 5/8"  ned, state that if that this report to the best of my  THIS PERMIT BY THE REMENT OF THE CALL OF THE CALL OF THE CALL OF THE CALL OF THIS PERMIT BY THE CALL OF THE	D DEEPEN OR PLUG BACK NEEDED)  CASING PROGRAM  WT/FT  36#  28#  hief Operating Office am the was prepared uncompleted by knowledge.  NOT TRANSFER COIL AND GAS COUN QUALIFICATIONS OF Company), confirm	CEMENT  15 sks  sks  Ser Kansas Res  of the Core Analysi  SAMPLES REQ  SAMPLES NOT  WATER SAMPL  ABLE TO ANY O  CIL DOES NOT CONS  THE PERMITTEE  that an approved	APPROVED  AMOUNT  YO'  TO BE DONE, GIVE  AMOUNT  YO'  AMOUNT  YO'  TO A COMPANY), are and direction	CASING - TO BE SIZE IL W  And Development, Lind that I am auth do that the facts  OR TO ANY OT ENT OF THE GEOLES been obtained	DATE 06/16/2 S REQUIRE SYSTEM TO OGIC MER	y said coerein are	E GEOLOGIST  CEMENT  Full Legil  Dempany to make a true, correct,  REQUIRED IF RUN  HE PROPOSED		





STATE OF MISSOURI MISSOURI DEPARTMENT OF NATURAL RESOURCES GEOLOGICAL SURVEY PROGRAM


IIIN 25 FORM OGG-4

WELL LOCATION P	LAT					N.A.o.	Oil & G	00 001	mail	
OWNER'S NAME						IVIO	UII à U	<del>d5 U01</del>	ITICII	
Kansas Resource Exploration & Development	opment, LLC									
LEASE NAME				COUNTY						
Belton Unit KR-2V	Cass									
WELL LOCATION 174 ft from North			a SECTION LINES)  e 978 ft. from ■ East □ West from section line							
1/4 ft. from ■ North		rom section line	970	ft. from	East W	est from se	ction line		-	
Sec. 16 Township 46 North Range	<u>33</u> □ E	ast   West	LONGIT	IDE						
N38° 48' 58.79"			W94° 34' 12.14"				174 FNL			
						. R	36	>	978 FEL	
	= -					from from	KR-ZV	978' FLL		
								·		
N									-	
	_									
									-	
				Secti	on 16 Unit Leas	-1.	, 1.			
				Belton	Unit Leas	C N E/4	E2/NW/4		-	
									-	
1										
REMARKS										
1 square = 660 feet										
INSTRUCTIO	This is to certify that I have executed a survey to accurately									
On the above plat, show distance of the proposed well from the two nearest section lines, the nearest lease line, and from the nearest well on the same lease completed in or drilling to the same reservoir. Do not confuse survey lines with lease lines. See rule 10 CSR 50-2.030 for survey requirements. Lease lines must be marked.				locate oil and gas wells in accordance with 10 CSR 50-2.030 and that the results are correctly shown on the above plat.						
REMIT TWO (2) COPIES TO: GEOLOGICAL SURVEY PROGRAM PO BOX 250, ROLLA, MO 65402-0250 (573) 368-2143 ONE (1) COPY WILL BE RETURNED				REGISTERED LAND SURVEYOR NUMBER						



## **Check Location**

Select a coordinate format, enter a pair of coordinates in the boxes below it, and then press the SUBMIT button. Please be patient while your information is retrieved. Your coordinates will be converted to the other formats, the information on the right-hand side of the page will be filled in based on your coordinates, and a map will be generated. NOTE: All coordinates must use the North American Datum of 1983 (NAD83).



**UTM Zone 15N [Easting, Northing]** [ 363693.1, 4297565.7 ] meters Decimal Degrees [Lat, Lon] [38.81633°, -94.570039°] Deg, Min, Sec [Lat, Lon] [ 38° 48' 58.7", -94° 34' 12.1" ] **County Name** Cass **County FIPS Code** 037 Legal Description Section 16 T46N R33W Municipality **NO VALUE House District** 56 **Senate District** 31 Congressional District 4 **MoDNR Region** Kansas City Regional Office USGS 1:24,000 Quadrangle Belton [38094-G5] 8 Digit Watershed 10300101 [Lower Missouri-Crooked] 10 Digit Watershed 1030010101 [Blue River] 12 Digit Watershed 103001010104 [Camp Branch-Blue River] Special Well Drilling Area Area 2 **Ecological Drainage Unit** Central Plains/Blackwater/Lamine **Level III Ecoregion** Central Irregular Plains **Query Time** 8.141 s

Rows with red text indicate that the input location is too close to a boundary to produce reliable results.

NOTE: A result of 'NO VALUE' is usually an indication that no data was found for the location. For example, not every point in Missouri will lie within a municipal boundary, so some will result in a 'NO VALUE'. If 'County Name' results in 'NO VALUE', your point probably lies outside the state.

## Metadata

- Interstate Highways
- US Highways
- State Highways
- Railroad
- Major and Minor Roads
- County Boundary
- Lakes
- Major Rivers
- Rivers and Streams
- Missouri River
- Mississippi River
- Municipal





View Scale 1:24,000

DISCLAIMER: Although this map has been compiled by the Missouri Department of Natural Resources, no warranty, expressed or implied, is made by the department as to the data and related materials. The act of distribution shall not constitute any such warranty, and no responsibility is assumed by the department in the use of these data or related materials.



P.O. Box 176, Jefferson City, MO 65102 800-361-4827 / 573-751-3443 E-mail: contact@dnr.mo.gov